

## **COVID-19 MONTHLY DATA REPORT – JANUARY 2021**

## **Table of Contents**

**Phoenix** 

Mesa

Chandler

**Scottsdale** 

Gilbert

<u>Glendale</u>

**Tempe** 

**Peoria** 

**Surprise** 

**Avondale** 

Goodyear

**Buckeye** 

**Queen Creek** 

**Apache Junction** 

El Mirage

**Fountain Hills** 

Paradise Valley

**Wickenburg** 

**Tolleson** 

Youngtown

<u>Guadalupe</u>

**Litchfield Park** 

Cave Creek

**Carefree** 

Gila Bend



# Phoenix, AZ

Population: 1,680,992

## Where were you in January?

Phoenix was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Phoenix
January (week 1)	843.0	765.0
(week 2)	982.0	838.3
(week 3)	755.0	653.2
(week 4)	637.0	551.9

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in **Phoenix** 

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Phoenix.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Mesa, AZ

Population: 518,012

## Where were you in January?

Mesa was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Mesa
January (week 1)	843.0	865.0
(week 2)	982.0	873.3
(week 3)	755.0	666.6
(week 4)	637.0	556.2

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Mesa

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Mesa.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Chandler, AZ

Population: 261,165

## Where were you in January?

Chandler was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

icopa County	Chandler
843.0	750.1
982.0	862.3
755.0	643.7
637.0	548.7
	843.0 982.0 755.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Chandler

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Chandler.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Scottsdale, AZ

Population: 258.069

## Where were you in January?



to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Scottsdale
January (week 1)	843.0	560.7
(week 2)	982.0	639.8
(week 3)	755.0	493.3
(week 4)	637.0	394.9

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Scottsdale

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Gilbert, AZ

Population: 254,114

## Where were you in January?

Gilbert was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Gilbert
January (week 1)	843.0	888.6
(week 2)	982.0	905.1
(week 3)	755.0	658.8
(week 4)	637.0	541.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Gilbert

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Gilbert.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Glendale, AZ

Population: 252,381

## Where were you in January?

Glendale was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Glendale
January (week 1)	843.0	811.9
(week 2)	982.0	931.9
(week 3)	755.0	686.7
(week 4)	637.0	574.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Glendale

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Glendale.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Tempe, AZ

Population: 195,805

## Where were you in January?

Tempe was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

Maricopa County	Tempe
843.0	573.5
982.0	633.8
755.0	527.6
637.0	406.0
	843.0 982.0 755.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Tempe

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Tempe.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Peoria, AZ

**Population: 175,961** 

## Where were you in January?

Peoria was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Peoria
January (week 1)	843.0	958.7
(week 2)	982.0	1,020.1
(week 3)	755.0	778.6
(week 4)	637.0	640.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Peoria

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Peoria.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Surprise, AZ

Population: 141,664

## Where were you in January?

Surprise was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Surprise
January (week 1)	843.0	751.8
(week 2)	982.0	795.5
(week 3)	755.0	677.0
(week 4)	637.0	625.4

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January, COVID-19 cases diagnosed in **Surprise** 

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Surprise.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Avondale, AZ

Population: 87,931

## Where were you in January?

Avondale was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Avondale
January (week 1)	843.0	928.0
(week 2)	982.0	1,004.2
(week 3)	755.0	851.8
(week 4)	637.0	635.7

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January, COVID-19 cases diagnosed in Avondale

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Avondale.

decreased.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Goodyear, AZ

Population: 86.840

## Where were you in January?

Goodyear was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Goodyear
January (week 1)	843.0	885.5
(week 2)	982.0	975.4
(week 3)	755.0	718.6
(week 4)	637.0	704.7

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Goodyear

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Goodyear.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Buckeye, AZ

Population: 79,620

## Where were you in January?

Buckeye was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Buckeye
January (week 1)	843.0	876.7
(week 2)	982.0	1,097.7
(week 3)	755.0	811.4
(week 4)	637.0	697.1

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January, COVID-19 cases diagnosed in **Buckeye** 

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Buckeye.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Queen Creek, AZ

Population: 50.890

## Where were you in January?



to the rate of cases diagnosed in Maricopa County.



COVID-19	case	rate r	er 1	00.	000	persons
----------	------	--------	------	-----	-----	---------

	Maricopa County	Queen Creek
January (week 1)	843.0	832.7
(week 2)	982.0	824.6
(week 3)	755.0	608.3
(week 4)	637.0	521.4

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Queen Creek

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Apache Junction, AZ

Population: 42,571

## Where were you in January?

Apache Junction was less

than the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	<b>Apache Junction</b>
January (week 1)	843.0	47.0
(week 2)	982.0	37.6
(week 3)	755.0	28.2
(week 4)	637.0	14.1

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January, COVID-19 cases diagnosed in Apache Junction

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# El Mirage, AZ

Population: 35.753

## Where were you in January?

El Mirage was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	El Mirage
January (week 1)	843.0	951.0
(week 2)	982.0	948.2
(week 3)	755.0	780.4
(week 4)	637.0	718.8

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in **El Mirage** 

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Fountain Hills, AZ

Population: 25,200

## Where were you in January?

Fountain Hills similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	<b>Fountain Hills</b>
January (week 1)	843.0	587.3
(week 2)	982.0	634.9
(week 3)	755.0	476.2
(week 4)	637.0	309.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Fountain Hills

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Fountain Hills.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Paradise Valley, AZ

Population: 14,637

## Where were you in January?

Paradise Valley was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Paradise Valley
January (week 1)	843.0	464.6
(week 2)	982.0	546.6
(week 3)	755.0	341.6
(week 4)	637.0	396.3

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January, COVID-19 cases diagnosed in Paradise Valley

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Paradise Valley.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Wickenburg, AZ

Population: 8.092

## Where were you in January?

Wickenburg was **ESS** 

than the rate of cases diagnosed in Maricopa County.



COVID-19	case	rate	per	100,	000	persons
----------	------	------	-----	------	-----	---------

	Maricopa County	Wickenburg
January (week 1)	843.0	296.6
(week 2)	982.0	383.1
(week 3)	755.0	86.5
(week 4)	637.0	185.4

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Wickenburg

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Tolleson, AZ

Population: 7,372

## Where were you in January?

Tolleson was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

Maricopa County	Tolleson
843.0	963.1
982.0	949.5
755.0	773.2
637.0	678.2
	843.0 982.0 755.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Tolleson

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Tolleson.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Youngtown, AZ

Population: 6.898

## Where were you in January?

Youngtown was **Similar** 

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Youngtown
January (week 1)	843.0	1,064.3
(week 2)	982.0	1,210.1
(week 3)	755.0	801.9
(week 4)	637.0	597.8

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Youngtown

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Youngtown.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Guadalupe, AZ

Population: 6.631

## Where were you in January?

Guadalupe was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Guadalupe
January (week 1)	843.0	1,176.3
(week 2)	982.0	1,236.6
(week 3)	755.0	618.3
(week 4)	637.0	678.6

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Guadalupe

## decreased.

Cases in Maricopa County decreased during this time period.



#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Litchfield Park, AZ

Population: 6,436

## Where were you in January?

Litchfield Park was Similar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Litchfield Park
January (week 1)	843.0	730.3
(week 2)	982.0	1,041.0
(week 3)	755.0	528.3
(week 4)	637.0	481.7

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Litchfield Park

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Litchfield Park.

#### The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Cave Creek, AZ

Population: 5.838

## Where were you in January?

Cave Creek was Smilar

to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Cave Creek
January (week 1)	843.0	736.6
(week 2)	982.0	685.2
(week 3)	755.0	274.1
(week 4)	637.0	154.2

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Cave Creek

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in C Creek.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






# Carefree, AZ

Population: 3,876

## Where were you in January?

Carefree was **ESS** 

than the rate of cases diagnosed in Maricopa County.



COVID-19	case	rate	per	100,	000	persons
----------	------	------	-----	------	-----	---------

	Maricopa County	Carefree
January (week 1)	843.0	483.8
(week 2)	982.0	509.3
(week 3)	755.0	127.3
(week 4)	637.0	331.0

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Carefree

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Carefree.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





# Gila Bend, AZ

Population: 2.094

## Where were you in January?



to the rate of cases diagnosed in Maricopa County.



### COVID-19 case rate per 100,000 persons

	Maricopa County	Gila Bend
January (week 1)	843.0	1,142.9
(week 2)	982.0	666.7
(week 3)	755.0	714.3
(week 4)	637.0	714.3

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in January to the last 2 weeks in January,

COVID-19 cases diagnosed in Gila Bend

## decreased.

Cases in Maricopa County decreased during this time period.

\*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in C Bend.

#### The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.

